
5 Mortality from Natural Causes

| 2-T | Cardiovascular Disease |
|-------------|--|
| 5-2 | Diseases of the Heart |
| 5-3 | Coronary Heart Disease |
| 5-4 | Cerebrovascular Disease |
| 5-5 | Chronic Lower Respiratory Disease |
| 5-6 | Malignant Neoplasms |
| 5-7 | Lung Cancer |
| 5-8 | Breast Cancer |
| 5-9 | Cervical Cancer |
| 5-10 | Colorectal Cancer |
| 5-11 | Prostate Cancer |
| 5-12 | Influenza and Pneumonia |
| 5-13 | Diabetes |
| 5-14 | Chronic Liver Disease and Cirrhosis |
| 5-15 | HIV Disease |
| 5-16 | Septicemia |
| 5-17 | Alzheimer's Disease |
| 5-18 | Nephritis, Nephrotic Syndrome, & Nephrosis |
| | (kidney disease) |
| 5-19 | Essential (primary) Hypertension |
| 5-20 | Mortality from All Causes |
| | |


5-1 CARDIOVASCULAR DISEASE

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|---|-------|------------------|-----------------|--------------------|---------|-------|--|--|
| | Num | ber of ddaths pe | er 100,000 popu | lation bq race/eth | nnicity | | | |
| Year All groups White Hispanic or Latino American Alaska Nat)ve Asian or Pacific Islander | | | | | | | | |
| 2005 | 245.7 | 241.3 | 266.1 | 343.3 | 235.6 | 243.0 | | |
| 2015 | 189.0 | 192.4 | 165.1 | 266.8 | 167.0 | 119.1 | | |
| % change from 2005 | -23.1 | -20.3 | -38.0 | -22.3 | -29.1 | -51.0 | | |

2015



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|--|--|
| Year All groups White non-Hispanic or Latino Hispanic American Asian or Pacific American American American American American American American American Native | | | | | | | | |
| 2005 | 186.9 | 185.2 | 189.6 | 250.3 | 179.1 | 159.8 | | |
| 2015 | 141.3 | 146.0 | 117.6 | 184.4 | 119.9 | 75.0 | | |
| % change from 2005 | -24.4 | -21.2 | -38.0 | -26.3 | -33.1 | -53.1 | | |


5-3 CORONARY HEART DISEASE

2015



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | |
|---|-------|-------|-------|-------|-------|---------|--|
| Year All groups Hispanic or Latino American Alaska Hispanic Or Latino American Alaska Native Islander | | | | | | Pacific | |
| 2005 | 147.9 | 147.3 | 147.1 | 211.4 | 133.7 | 113.7 | |
| 2015 | 104.6 | 108.0 | 90.2 | 132.5 | 83.3 | 54.9 | |
| % change from 2005 | -29.3 | -26.7 | -38.7 | -37.3 | -37.7 | -51.7 | |


5-4 CEREBROVASCULAR DISEASE

2015



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|-------|-------|-------|-------|------|---------|--|--|
| Year All groups White non-Hispanic or Latino American Alaska Native Asian or American Asian or American Alaska Native Islander | | | | | | Pacific | | |
| 2005 | 40.6 | 38.8 | 51.0 | 66.0 | 32.3 | 64.6 | | |
| 2015 | 31.1 | 30.1 | 32.4 | 51.8 | 31.6 | 30.4 | | |
| % change from 2005 | -23.4 | -22.4 | -36.5 | -21.5 | -2.2 | -52.9 | | |


5-5 CHRONIC LOWER RESPIRATORY DISEASE

2015



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|------|------|-------|-------|------|------|--|--|
| Year All groups White non-Hispanic or Latino American Asian or Pacific American American American American American Antive | | | | | | | | |
| 2005 | 46.8 | 49.6 | 31.6 | 43.9 | 12.0 | 17.9 | | |
| 2015 | 45.1 | 50.8 | 21.5 | 34.0 | 14.8 | 18.1 | | |
| % change from 2005 | -3.6 | 2.4 | -32.0 | -22.6 | 23.3 | 1.1 | | |


5-6 MALIGNANT NEOPLASM (CANCER)

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| | COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|--|-------|-------|-------|-------|-------|--|--|--|
| Year All groups Hispanic or Latino Black or African American Indian or Pacific American American Anderican American Anderican Anderican Anderican Native | | | | | | | | | |
| 2005 | 161.8 | 162.4 | 165.9 | 217.9 | 122.2 | 112.7 | | | |
| 2015 | 144.0 | 149.8 | 120.4 | 154.7 | 124.4 | 104.8 | | | |
| % change from 2005 | -11.0 | -7.8 | -27.4 | -29.0 | 1.8 | -7.0 | | | |



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|-------------------------------------|---|------------------|-----------------|--------------------|--------|------|--|--|
| | Num | ber of deaths pe | er 100,000 popu | lation by race/eth | nicity | | | |
| Year | Year All Street Hispanic Or Latino Hispanic American Alaska American Alaska American Alaska Islande | | | | | | | |
| 2005 | 43.0 | 45.9 | 29.0 | 53.0 | 6.5 | 19.7 | | |
| 2015 | 35.1 | 39.1 | 18.8 | 38.4 | 8.1 | 30.6 | | |
| % change from 2005 | -18.4 | -14.8 | -35.2 | -27.5 | 24.6 | 55.3 | | |


5-8 Breast cancer (female)

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 females by race/ethnicity | | | | | | | | |
|--|------|------|-------|-------|-------|-------|--|--|
| Year All groups Hispanic or Latino Hispanic or Latino American Alaska Native Hispanic Islander | | | | | | | | |
| 2005 | 20.7 | 20.5 | 19.8 | 35.7 | 14.9 | 17.3 | | |
| 2015 | 19.2 | 20.7 | 12.9 | 23.1 | 12.8 | 13.3 | | |
| % change from 2005 | -7.2 | 1.0 | -34.8 | -35.3 | -14.1 | -23.1 | | |

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 females by race/ethnicity | | | | | | | |
|---|-----|-----|-------|------|-------|---------|--|
| Year All groups Hispanic or Latino Hispanic American Alaska Native Hispander | | | | | | Pacific | |
| 2005 | 2.1 | 1.8 | 4.1 | 1.4 | 3.4 | 4.6 | |
| 2015 | 2.3 | 1.9 | 3.6 | 2.2 | 1.9 | 2.1 | |
| % change from 2005 | 9.5 | 5.6 | -12.2 | 57.1 | -44.1 | -54.3 | |




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|-------|-------|-------|-------|------|---------|--|--|
| Year All White Hispanic or Latino Black or African Indian or Pacific American Alaska Native Islander | | | | | | Pacific | | |
| 2005 | 15.4 | 15.2 | 17.6 | 27.0 | 7.5 | 12.5 | | |
| 2015 | 12.9 | 12.9 | 11.8 | 19.5 | 13.3 | 9.4 | | |
| % change from 2005 | -16.2 | -15.1 | -33.0 | -27.8 | 77.3 | -24.8 | | |

2015



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 males by race/ethnicity | | | | | | | | |
|---|-------|-------|-------|------|------|-------|--|--|
| Year All groups Hispanic Or Latino Spy Face/edimicity White non- Hispanic Or Latino Spy Face/edimicity Black or African Alaska Native American Indian or Alaska Native | | | | | | | | |
| 2005 | 23.8 | 23.5 | 30.6 | 20.4 | 23.5 | 5.1 | | |
| 2015 | 17.6 | 17.3 | 17.6 | 29.6 | 26.0 | 10.7 | | |
| % change from 2005 | -26.1 | -26.4 | -42.5 | 45.1 | 10.6 | 109.8 | | |


5-12 INFLUENZA AND PNEUMONIA

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|--------------------------------------|-------|-------|-------|-------|-------|--|--|
| Year | White Hispanic Black or Indian or As | | | | | | | |
| 2005 | 22.3 | 20.5 | 26.5 | 21.6 | 72.0 | 17.5 | | |
| 2015 | 9.4 | 8.6 | 11.2 | 16.4 | 23.8 | 6.7 | | |
| % change from 2005 | -57.8 | -58.0 | -57.7 | -24.1 | -66.9 | -61.7 | | |




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|---------------|---------------------------|-----------------------|---------------------------------|---|---------------------------------|--|--|
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 20.1 | 15.5 | 46.0 | 55.2 | 69.9 | 17.8 | | |
| 2015 | 25.7 | 20.1 | 45.3 | 53.0 | 73.9 | 22.7 | | |
| % change from 2005 | 27.9 | 29.7 | -1.5 | -4.0 | 5.7 | 27.5 | | |




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|---------------|---------------------------|-----------------------|---------------------------------|---|---------------------------------|--|--|
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 12.7 | 10.7 | 19.4 | 12.8 | 51.2 | 4.9 | | |
| 2015 | 14.9 | 13.1 | 14.0 | 8.4 | 77.6 | 4.0 | | |
| % change from 2005 | 17.3 | 22.4 | -27.8 | -34.4 | 51.6 | -18.4 | | |




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|-------------------------------------|---|---------------------------|-----------------------|---------------------------------|-------------------------------|---------------------------------|--|--|
| | Number of deaths per 100,000 population by race/ethnicity | | | | | | | |
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 2.4 | 2.0 | 2.5 | 9.2 | 3.1 | 0.5 | | |
| 2015 | 1.6 | 1.3 | 1.4 | 5.3 | 2.1 | 0.8 | | |
| % change from 2005 | -33.3 | -35.0 | -44.0 | -42.4 | -32.3 | 60.0 | | |



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 Number of deaths per 100,000 population by race/ethnicity | | | | | | | | |
|--|-------|-------|-------|-------|-------|---------------------------------|--|--|
| Year groups non- or lating African Alaska Page | | | | | | Asian or Pacific Islander | | |
| 2005 | 8.4 | 7.3 | 13.0 | 18.2 | 18.2 | 6.2 | | |
| 2015 | 5.4 | 5.0 | 5.9 | 9.7 | 14.0 | 4.7 | | |
| % change from 2005 | -35.7 | -31.5 | -54.6 | -46.7 | -23.1 | -24.2 | | |


5-17 ALZHEIMER'S DISEASE

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|-------------------------------------|---------------|---------------------------|-----------------------|---------------------------------|---|---------------------------------|--|--|
| | Num | ber of deaths pe | er 100,000 popu | lation by race/eth | nicity | | | |
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 32.7 | 33.0 | 31.3 | 42.7 | 16.2 | 30.2 | | |
| 2015 | 37.3 | 37.8 | 36.5 | 46.1 | 21.3 | 20.4 | | |
| % change from 2005 | 14.1 | 14.5 | 16.6 | 8.0 | 31.5 | -32.5 | | |



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


2005



| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|-------------------------------------|---------------|---------------------------|-----------------------|---------------------------------|---|---------------------------------|--|--|
| | Num | ber of deaths pe | er 100,000 popu | lation by race/eth | nicity | | | |
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 10.4 | 8.5 | 22.5 | 19.8 | 31.4 | 9.2 | | |
| 2015 | 6.3 | 5.6 | 8.3 | 10.7 | 18.3 | 5.7 | | |
| % change from 2005 | -39.4 | -34.1 | -63.1 | -46.0 | -41.7 | -38.0 | | |


5-19 ESSENTIAL (PRIMARY) HYPERTENSION

2015




Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005




| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|-------------------------------------|---------------|---------------------------|-----------------------|---------------------------------|---|---------------------------------|--|--|
| | Num | ber of deaths pe | er 100,000 popu | lation by race/eth | nicity | | | |
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 6.8 | 5.9 | 13.2 | 15.6 | 15.8 | 6.8 | | |
| 2015 | 11.1 | 10.7 | 11.7 | 21.6 | 13.0 | 8.7 | | |
| % change from 2005 | 63.2 | 81.4 | -11.4 | 38.5 | -17.7 | 27.9 | | |



Note: Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2005



| COMPARATIVE RATES FOR 2005 AND 2015 | | | | | | | | |
|-------------------------------------|---------------|---------------------------|-----------------------|---------------------------------|---|---------------------------------|--|--|
| | Num | ber of deaths pe | er 100,000 popu | lation by race/eth | nnicity | | | |
| Year | All groups | White non- Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander | | |
| 2005 | 772.5 | 744.6 | 849.2 | 1053.1 | 1006.6 | 629.5 | | |
| 2015 | 691.3 | 704.1 | 601.5 | 832.8 | 965.3 | 413.8 | | |
| % change from 2005 | -10.5 | -5.4 | -29.2 | -20.9 | -4.1 | -34.3 | | |